



BEHAVIORDATA PSYCHODIAGNOSTIC

LABORATORY REPORT

Account: 005093

Subject: 55

Date: 02/17/09

Inventory: MMPI-2™

Report: 00

Options: RO,RE

Sex: Male

Age: 52

This report from Behaviordata Incorporated is based on the system that was designed by Joseph C. Finney, M.D., Ph.D., a psychiatrist and a clinical psychologist at the University of Kentucky, with the help of research grants from the National Institute of Mental Health and U.S. Vocational Rehabilitation Administration.

Analysis of this kind can be done from various psychological inventories or from other information. Like any other report based on an inventory, this is subject to error. No decision should be made from this report alone, but only from consideration of the case history and all the available evidence. In this case, the inventory completed and submitted for analysis was the Minnesota Multiphasic Personality Inventory-2(tm) (MMPI-2tm), the trademarks and copyrights of which are owned by the Regents of the University of Minnesota. The University and its licensee, NCS Pearson, Inc. (NCS), do not license, sponsor, or endorse Behaviordata's modified scoring and interpretive system or any reports resulting from it.

Behaviordata has purchased from NCS the MMPI-2(tm) Basic Service Profile Report, reformatted by permission on page 2 which provides standard MMPI-2(tm) test raw and T scores. The remainder of Behaviordata's report, including the Profile on page 3, contains re-analyzed and changed raw and T scores based on the University of Kentucky's Interpretive System developed by J. Finney (JF). Behaviordata's re-analyzed and changed scores are indicated by the addition of "-JF" to the scale name throughout the Behaviordata report.


Behaviordata, Inc.
20833 Stevens Creek Blvd., Suite 100
Cupertino, CA 95014

www.behaviordata.com
Phone: (800) 627-2673
Fax: (408) 342-0617
E-mail: bdi@behaviordat.com

Account 005093 Subject 55 [Male,52]

MMPI-2 BASIC SCALES PROFILE by NCS Pearson

	L	F	K	Hs	D	Hy	Pd	Mf	Pa	Pt	Sc	Ma	Si
Raw score:	3	2	19	0	24	27	16	27	11	6	3	13	22
K Correction				10			8		19	19	4		
T-->	48	42	58	42	62	64	52	52	53	47	42	43	47




Cannot Say(Raw) 1

Copyright 1989 by the Regents of the University of Minnesota (all rights reserved). Distributed exclusively by NCS Pearson, Inc., under license from the University of Minnesota.

"Minnesota Multiphasic Personality Inventory-2," and "MMPI-2" are trademarks of the University of Minnesota.

Account 005093 Subject 55 [Male,52]
MMPI-2 BASIC SCALES PROFILE Re-analyzed and Changed by the
 University of Kentucky's Interpretive System Developed by J. Finney

	L	F	K	HsK	D	Hy	PdK	Mf	Pa	PtK	ScK	MaK	Si
	JF	JF	JF	JF	JF	JF	JF	JF	JF	JF	JF	JF	JF
T-->	46	44	55	41	65	63	57	62	59	51	47	44	52
+++													



The raw scores reported on this page were obtained by changing the standard MMPI-2™ test raw scores by reducing the factor of anxiety or social desirability and the effects of response set for the rare (possibly random) answers.

The T-scores reported on this page are not the standard MMPI-2 T scores. These are the T-scores normalized by the University of Kentucky's Interpretive System, developed by J. Finney, M.D., Ph.D., on a sample of 2000 men and women.

The Mf score is based on scores by subjects of the same sex as this subject.

Account 005093 Subject 55 [Male,52]

The following analysis is based on the University of Kentucky's Interpretive System developed by J. Finney, M.D., Ph.D., (JF) and distributed by Behaviordata, Inc.

Tests for Psychosis:

Criterion:	Psychotic	Indeterminate	Nonpsychotic
Meehl-Dahlstrom		*	
Taulbee-Sisson		*	
ScK-Ptk Method			*
Elevation of Sx			*
Two Point Code			*
Elevation of ScK			*
Goldberg Method			*
Elevation of Pa			*
Finney Method			*
	---	---	---
	0	2	7

Psychotic Point Count = 2
(9+P) - N


Rankings of the eight MMPI Clinical Scales, with the formula corrections (These scales are modifications of the MMPI-2™ test standard raw and T-scores based on the University of Kentucky's Interpretive System developed by J. Finney, M.D., Ph.D. (JF) and distributed by Behaviordata, Inc.):

	TFAT	AT	FAT	T
Highest:	D-jf (2) = 65.3	D-jf (2) = 70.9	D-jf (2) = 70.9	Hy-jf (3) = 61.8
Second:	Hy-jf (3) = 62.8	Hy-jf (3) = 63.7	Hy-jf (3) = 63.7	D-jf (2) = 59.7
Third:	Pa-jf (6) = 58.8	Pa-jf (6) = 62.9	Pa-jf (6) = 63.3	Pa-jf (6) = 54.3
Fourth:	PdK-jf (4) = 56.8	PdK-jf (4) = 59.5	PdK-jf (4) = 60.1	PdK-jf (4) = 53.5
Fifth:	PtK-jf (7) = 51.3	PtK-jf (7) = 57.7	PtK-jf (7) = 57.7	PtK-jf (7) = 45.0
Sixth:	ScK-jf (8) = 47.1	ScK-jf (8) = 51.8	ScK-jf (8) = 52.2	ScK-jf (8) = 42.0
Seventh:	MaK-jf (9) = 44.4	MaK-jf (9) = 47.4	MaK-jf (9) = 47.4	MaK-jf (9) = 41.5
Lowest:	HsK-jf (1) = 41.1	HsK-jf (1) = 42.8	HsK-jf (1) = 42.8	HsK-jf (1) = 39.3
Two Pt. Codes:	(2,3)	(2,3)	(2,3)	(3,2)

Mis-mark and/or blank count: 0
Addiction Band Number: 0 (High=5,Low=0)
Alcoholism Band Number: 0 (High=5,Low=0)


The T-scores on this page are not the standard MMPI-2™ test T-Scores. These are the scores normalized by the University of Kentucky's Interpretive System developed by J. Finney, M.D., Ph.D., (JF) on a sample of 2000 men and women.


Account 005093 Subject 55 [Male,52]



Tests for Psychosis:

Meehl-Dahlstrom: Beta = -9.9 Delta = 4.8 Welsh = 0.9
 Band Number = 2 Selection Rule= 1.6
 Taulbee-Sisson: 13 P 14 P 15 P 16 P 17 P 18 P 19 P 24 N 26 N 34 N
 35 N 36 N 39 N 75 P 76 P 78 N Count = 7





Account 005093 Subject 55 [Male,52]

Scale	Raw	T	AT	FAT	TFAT	Definition	
1	Du	6	33.6	46.2	45.8	39.7	Amount of Dependency Urge
2	Da	2	24.0	27.8	27.3	25.7	Dependency in Action
3	Rd	2	33.3	38.3	38.3	35.8	Repression of Dependency
4	Tco	52	63.5	46.2	46.2	54.8	Basic Trust, Confidence, and Optimism
5	Di	8	41.2	62.8	63.0	52.1	Discouragement
6	Rdi	34	61.0	47.4	47.4	54.2	Repression of Discouragement
7	Anx	8	38.0	56.1	56.2	47.1	Anxiety
8	Bit	6	37.2	54.4	54.4	45.8	Bitterness
9	Dmd	6	36.3	46.2	46.2	41.3	Demandingness
10	Ord	24	56.7	54.9	54.9	55.8	Orderliness
11	Sbt	12	39.3	52.6	52.6	46.0	Seeking Being Told what to do
12	Rbt	8	39.0	48.2	48.3	43.6	Resisting Being Told what to do
13	Arh	10	44.0	69.6	69.8	56.9	Amount of Resentment/Hostility
14	Bs	12	46.5	70.6	70.9	58.7	Blaming Self
15	Bo	4	43.1	57.1	57.4	50.2	Blaming Others
16	Ts	12	42.2	65.6	66.3	54.2	Taking Things Out on Self
17	Tto	6	33.6	42.2	42.1	37.9	Taking Things Out on Others
18	Rfa	12	47.4	57.8	57.8	52.6	Reaction Formation against Aggression
19	Poh	6	42.0	53.6	53.8	47.9	Projection of Hostility
20	Soh	10	38.8	52.9	52.9	45.8	Suppression and Outbursts of Hostility
21	Uah	8	39.7	48.6	48.4	44.0	Unconscious Acting-out of Hostility
22	Cas	36	57.5	50.4	50.4	54.0	Controllingness and Sadism
23	Uas	8	47.0	56.4	56.4	51.7	Unconscious Sexual Acting Out
24	SxDy	14	43.0	55.3	55.4	49.2	Sexual Dysfunction
25	AtRe	4	25.9	32.5	32.4	29.1	Attention and Reassurance
26	Dth	2	36.3	48.7	48.7	42.5	Doing things the hard way
27	Cwo	24	52.8	57.5	57.8	55.3	Concern with What People Think
28	Pm	4	31.1	40.8	40.8	35.9	Psychopathic Manipulation
29	Gf	6	37.3	52.3	52.3	44.8	Guilt Feelings
30	Cons	30	56.7	42.3	42.0	49.3	Conscience
31	Wl	38	63.7	50.2	50.2	56.9	Warmth
32	Amb	38	66.6	55.3	55.3	61.0	Ambition
33	Ss	10	43.0	70.7	71.6	57.3	Feeling Sorry for Self
34	Dpm	4	34.1	48.0	47.8	41.0	Dependent Masochism (getting rejected)
35	Btp	6	36.5	49.6	49.7	43.1	Behaving to get Punished
36	Rep	20	53.2	50.3	50.2	51.7	Repression
37	Den	16	50.9	34.8	34.7	42.8	Denial
38	Pjt	2	44.0	57.7	58.0	51.0	Projection
39	Rf	14	54.6	58.5	58.5	56.6	Reaction Formation
40	Conv	8	40.6	55.3	55.3	48.0	Conversion
41	Ppr	8	37.1	49.9	49.8	43.4	Psychophysiologic Reaction
42	Paf	10	41.3	63.6	63.8	52.6	Phobias and Fears
43	Com	0	23.2	28.7	28.5	25.9	Compulsion
44	Wao	12	41.1	62.0	62.5	51.8	Worry and Obsession
45	Psy	2	36.7	53.0	53.1	44.9	Psychosis
46	L-jf	6	48.8	43.2	43.1	46.0	Lie

Account 005093 Subject 55 [Male,52]

Scale	Raw	T	AT	FAT	TFAT	Definition	
47	F-jf	4	38.9	49.6	49.6	44.3	Validity
48	K-jf	38	61.9	48.6	48.6	55.3	Correction
49	Hs-jf	0	25.8	32.2	32.2	29.0	Hypochondriasis
50	HsK-jf	19	39.3	42.8	42.8	41.1	Hypochondriasis with K correction
51	DO	22	53.3	74.3	74.3	63.8	Depression, Obvious
52	DS	26	66.4	59.8	59.8	63.1	Depression, Subtle
53	D-jf	48	59.7	70.9	70.9	65.3	Depression
54	HyAd	6	37.6	49.2	49.2	43.4	Hysteria Admission
55	HyDn	48	82.5	79.1	79.2	80.9	Hysteria Denial
56	Hy-jf	54	61.8	63.7	63.7	62.8	Hysteria
57	Pd-jf	32	49.8	61.7	62.3	56.1	Psychopathic Deviate
58	PdK-jf	47	53.5	59.5	60.1	56.8	Psychopathic Deviate with K correction
59	Mfm-jf	54	60.1	63.4	63.8	61.9	Masculinity-femininity, Male
60	PaO	4	47.0	64.2	64.9	56.0	Paranoia, Obvious
61	PaS	18	59.8	57.0	57.0	58.4	Paranoia, Subtle
62	Pa-jf	22	54.3	62.9	63.3	58.8	Paranoia
63	Pt-jf	12	38.3	60.9	61.1	49.7	Psychasthenia
64	PtK-jf	50	45.0	57.7	57.7	51.3	Psychasthenia with K correction
65	Sc-jf	6	32.7	44.3	43.7	38.2	Schizophrenia
66	ScK-jf	44	42.0	51.8	52.2	47.1	Schizophrenia with K correction
67	Ma-jf	26	39.5	46.9	46.9	43.2	Hypomania
68	MaK-jf	34	41.5	47.4	47.4	44.4	Hypomania with K correction
69	Si-jf	48	47.1	57.8	57.8	52.4	Social Introversion
70	A	8	36.9	56.3	56.5	46.7	Welsh's first factor: Anxiety
71	R	42	66.4	63.0	63.0	64.7	Welsh's second factor: Repression
72	Sd	34	50.0	51.7	51.7	50.8	Sex Difference
73	Es	74	55.3	42.3	42.3	48.8	Ego Strength
74	Fm	28	46.9	57.9	57.9	52.4	Feminine Masochism
75	Ul	96	69.9	61.0	61.0	65.5	Ulcer Personality
76	Ba	102	73.8	67.0	68.2	71.0	Teamwork in Competition
77	Cr	110	63.8	47.8	47.9	55.8	Conversion Reaction and Denial
78	Sx	18	53.1	45.5	45.5	49.3	Correction for Schizophrenia Scale
79	PaV	10	39.0	52.1	52.2	45.6	Parole Violation
80	Ec	16	36.7	46.5	46.5	41.6	Escape from Prison
81	C	22	41.5	49.5	49.6	45.5	Welsh's third factor: Control
82	B	20	21.4	26.5	26.5	24.0	Response Bias (tendency to say "true")
83	Ph	0	32.3	40.0	39.9	36.1	Phobia [manifest content]
84	Al	66	45.3	49.1	49.1	47.2	Alcoholism (Finney)
85	To	54	68.7	59.6	59.6	64.2	Tolerance
86	Mp	16	43.7	35.8	35.2	39.4	Positive Malingering (faking good)
87	Rbw	10	29.6	32.9	32.9	31.3	Response Bias
88	Sdw	16	33.8	31.9	31.8	32.8	Social Desirability
89	Em	2	35.8	43.3	43.1	39.4	Embarrassment [manifest content]
90	Gu	0	35.3	45.7	45.6	40.5	Guilt [manifest content]
91	Reb	14	48.0	54.4	54.5	51.2	Rebellion [manifest content]
92	Sub	16	51.3	46.5	46.4	48.8	Submission [manifest content]

Account 005093 Subject 55 [Male,52]

Scale	Raw	T	AT	FAT	TFAT	Definition
93 Ac	30	62.0	49.0	48.9	55.4	Achievement via Conformance
94 Ai	26	69.9	62.9	63.1	66.5	Achievement via Independence
95 Cs	28	69.6	62.7	62.7	66.1	Capacity for Status
96 Dom	28	65.1	56.8	56.8	61.0	Dominance
97 Ie	86	64.8	53.1	53.1	58.9	Intellectual Efficiency
98 Re	34	58.8	50.1	50.0	54.4	Responsibility
99 So	32	68.3	60.3	60.6	64.5	Socialization
100 Sy	32	50.8	43.1	43.1	47.0	Sociability
101 Wb	70	69.2	59.7	59.8	64.5	Well Being (not faking bad)
102 Sp	36	56.7	46.3	46.3	51.5	Social Presence
103 Sa	16	55.2	49.5	49.5	52.4	Self Acceptance
104 Scn	38	65.3	54.1	54.1	59.7	Self Control
105 Py	12	67.6	60.2	60.2	63.9	Psychological Mindedness
106 Gi	6	51.6	42.3	42.1	46.9	Good Impression
108 Fe	16	50.1	53.1	53.1	51.6	Femininity
109 Cm	2	51.2	46.4	46.3	48.7	Communality (absence of rare answers)
110 Ob	6	45.0	63.3	63.6	54.3	Obsessive Worry [manifest content]
111 N	0	27.5	32.2	32.2	29.8	Narcissism
112 W2	26	14.9	19.0	19.0	16.9	Warmth
113 Dem	0	44.5	52.0	52.0	48.2	Demanding [manifest content]
114 Id	10	59.4	51.9	52.0	55.7	Inner Direction
115 Stb	8	51.6	54.0	54.0	52.8	Stubbornness [manifest content]
116 Rps	4	46.4	47.2	47.2	46.8	Rigid Perfectionistic Stubborn
119 Sad	0	42.7	48.7	48.7	45.7	Sadistic
120 Or	0	38.3	38.5	38.4	38.3	Orderliness
122 RepX	2	57.6	62.9	63.1	60.4	Hysterical Repression
123 H	90	66.3	63.2	63.3	64.8	Hostility
124 Ody	4	46.5	45.2	45.1	45.8	Optimistic Dependency
125 PVi	14	29.7	38.1	37.7	33.7	Pharisaical Virtue
126 Ap	50	57.6	57.8	58.0	57.8	Acceptance of Passivity
127 Ef1	16	42.5	57.8	58.0	50.3	Eichman Factor 1: Anxiety
128 Ef2	24	63.3	63.2	63.3	63.3	Eichman Factor 2: Repression
129 Ef3	0	25.5	31.5	31.4	28.5	Eichman Factor 3: Somatic preoccupation
130 Ef4	2	30.6	38.5	37.3	34.0	Eichman Factor 4: Acting-out of impulses
131 Rdc	50	86.1	83.1	83.6	84.9	Repression Dissociation Character
132 Mfem	54	50.4	52.4	52.4	51.4	Femininity [Mf + Mf1]
133 Mhom	0	38.7	45.3	45.3	42.0	Identification Problem [Mf2]
134 Dy	10	31.3	40.5	40.1	35.7	Dependency
136 Cto	0	42.7	48.7	48.7	45.7	Control of Others
137 Mff	62	58.7	59.6	59.9	59.3	Masculinity-femininity, Female
138 Su	10	43.0	71.9	72.0	57.5	Suicide
139 Ad	20	30.4	38.4	38.3	34.4	Addiction
140 Wm	8	31.4	41.4	41.4	36.4	Warmth
141 Shx	24	39.7	49.1	49.1	44.4	Showoff, Exhibitionist
142 Dm	52	50.5	50.6	50.6	50.6	Dominant
143 Rbl	28	39.0	46.8	46.8	42.9	Rebellious

Account 005093 Subject 55 [Male,52]

Scale	Raw	T	AT	FAT	TFAT	Definition
144 Qs	66	68.6	58.5	58.5	63.5	Quietly Stubborn
145 Ev	32	72.1	65.7	66.1	69.1	Evades
146 Shm	20	46.1	56.2	56.1	51.1	Shame
147 Frm	76	71.5	63.8	64.0	67.8	Firm
148 Sso	74	65.2	50.3	50.2	57.7	Stingy with Self and Others
149 Ncs	28	41.7	52.7	52.7	47.2	Narcissistic, Self-centered
150 Umm	32	41.9	55.1	55.1	48.5	Unscrupulous, Manipulates, Maneuvers
151 Wdn	22	47.4	54.8	54.8	51.1	Withdrawn
152 Rgd	64	68.9	63.3	63.8	66.4	Rigidity
153 Cus	12	34.7	49.3	49.2	42.0	Cruel, Unkind, Sadistic
154 Spr	32	67.0	63.5	63.6	65.3	Sullen, Passively Resentful
155 Hfs	12	42.0	62.3	62.3	52.2	Hurt Feelings, Sensitive
156 Imp	8	37.8	54.8	55.0	46.4	Impulsive
157 Rih	6	41.6	53.5	54.0	47.8	Rambling, Incoherent
158 Rts	2	26.1	31.0	30.5	28.3	Reality Testing Shaky
159 Osm	72	63.9	46.6	46.5	55.2	Orderly and Systematic
160 Ibo	8	33.3	45.3	45.4	39.4	Influenced by Others
161 AMA	32	38.0	41.1	40.9	39.5	Alcoholism (MacAndrew)
162 AvA	74	55.1	57.8	57.8	56.5	Alcoholic versus Addict
163 AHS	66	57.0	46.8	46.8	51.9	Alcoholism (Hoyt & Sedlacek)
164 AHp	72	43.5	67.6	68.0	55.7	Alcoholism (Hampton)
165 AHm	48	52.9	54.8	54.8	53.9	Alcoholism (Holmes)
166 Ant	26	55.3	56.9	57.0	56.1	Antisocial

Account 005093 Subject 55 [Male,52]

The raw scores for scales L-jf, F-jf, K-jf, Hs-jf, HsK-jf, D-jf, Hy-jf, Pd-jf, PdK-jf, Mfm-jf or Mff-jf, Pa-jf, Pt-jf, PtK-jf, Sc-jf, ScK-jf, Ma-jf, MaK-jf, and Si-jf reported on these Scale Information pages were obtained by changing the standard MMPI-2™ test raw scores by reducing the factor of anxiety or social desirability and the effects of response set for rare (possibly random) answers.

The T-scores for scales L-jf, F-jf, K-jf, Hs-jf, HsK-jf, D-jf, Hy-jf, Pd-jf, PdK-jf, Mfm-jf or Mff-jf, Pa-jf, Pt-jf, PtK-jf, Sc-jf, ScK-jf, Ma-jf, MaK-jf, and Si-jf reported on these Scale Information pages are not the standard MMPI-2™ test T-Scores. These are the scores normalized by the University of Kentucky's Interpretive System developed by J. Finney, M.D., Ph.D., on a sample of 2000 men and women.

* * * * *

Statements in this report are protected by
International Copyright 1974, 1996
by Joseph C. Finney.
All Rights are Reserved.

The simple T-scores given in the report are the true normalized scores developed by Joseph C. Finney, M.D., Ph.D., at the University of Kentucky. This is the only standardization of the MMPI that was sponsored by a research grant from the National Institute of Mental Health.

AT, FAT, and TFAT scores are computed to reduce effects of response sets correlated with the A factor and the F scale.

* * * * *

1-F	51-T	101-F	151-F	201-F	251-F	301-F	351-F	401-T	451-F	501-T	551-F
2-T	52-F	102-T	152-T	202-F	252-F	302-F	352-F	402-T	452-F	502-F	552-F
3-T	53-F	103-F	153-F	203-T	253-F	303-F	353-T	403-F	453-T	503-F	553-F
4-F	54-F	104-F	154-F	204-T	254-F	304-F	354-T	404-T	454-F	504-F	554-F
5-F	55-T	105-T	155-F	205-F	255-T	305-F	355-F	405-T	455-T	505-F	555-F
6-T	56-T	106-T	156-F	206-T	256-F	306-F	356-F	406-F	456-F	506-F	556-T
7-F	57-T	107-T	157-F	207-F	257-F	307-F	357-T	407-F	457-F	507-F	557-F
8-T	58-F	108-T	158-T	208-T	258-F	308-F	358-F	408-F	458-F	508-F	558-F
9-T	59-F	109-T	159-T	209-F	259-T	309-F	359-F	409-F	459-T	509-F	559-F
10-T	60-F	110-F	160-F	210-T	260-T	310-F	360-T	410-F	460-T	510-F	560-T
11-F	61-F	111-F	161-F	211-F	261-F	311-F	361-F	411-F	461-F	511-F	561-T
12-F	62-F	112-F	162-F	212-F	262-T	312-F	362-F	412-F	462-T	512-F	562-F
13-F	63-T	113-F	163-T	213-F	263-F	313-F	363-F	413-F	463-F	513-F	563-F
14-F	64-F	114-F	164-T	214-T	264-F	314-T	364-F	414-F	464-F	514-T	564-T
15-T	65-F	115-F	165-T	215-F	265-F	315-F	365-T	415-F	465-F	515-F	565-F
16-F	66-F	116-F	166-F	216-T	266-T	316-F	366-F	416-F	466-F	516-F	566-F
17-F	67-T	117-T	167-F	217-T	267-T	317-F	367-F	417-F	467-T	517-F	567-F
18-F	68-F	118-T	168-F	218-F	268-F	318-T	368-F	418-F	468-F	518-F	
19-F	69-F	119-T	169-F	219-F	269-F	319-F	369-F	419-F	469-F	519-F	
20-T	70-F	120-T	170-F	220-F	270-F	320-F	370-F	420-F	470-F	520-F	
21-F	71-F	121-T	171-F	221-F	271-F	321-T	371-F	421-F	471-F	521-T	
22-F	72-F	122-T	172-F	222-T	272-T	322-F	372-T	422-T	472-F	522-F	
23-F	73-F	123-F	173-T	223-T	273-F	323-F	373-F	423-F	473-F	523-F	
24-F	74-F	124-F	174-T	224-T	274-F	324-F	374-F	424-F	474-T	524-F	
25-F	75-T	125-T	175-F	225-F	275-F	325-F	375-F	425-F	475-F	525-F	
26-F	76-F	126-T	176-T	226-F	276-T	326-F	376-F	426-F	476-F	526-F	
27-F	77-T	127-F	177-T	227-F	277-F	327-F	377-F	427-T	477-F	527-F	
28-F	78-T	128-T	178-F	228-F	278-T	328-F	378-F	428-F	478-F	528-F	
29-T	79-T	129-F	179-T	229-F	279-T	329-F	379-T	429-T	479-F	529-F	
30-F	80-F	130-T	180-F	230-T	280-T	330-T	380-F	430-F	480-F	530-F	
31-F	81-F	131-F	181-T	231-F	281-F	331-F	381-F	431-T	481-T	531-F	
32-F	82-F	132-T	182-F	232-T	282-F	332-F	382-F	432-F	482-F	532-T	
33-F	83-T	133-F	183-T	233-T	283-F	333-F	383-T	433-T	483-F	533-F	
34-T	84-F	134-F	184-F	234-F	284-F	334-F	384-F	434-F	484-F	534-T	
35-F	85-F	135-F	185-F	235-F	285-F	335-T	385-T	435-F	485-F	535-F	
36-F	86-F	136-F	186-T	236-T	286-F	336-F	386-F	436-F	486-T	536-F	
37-F	87-F	137-F	187-F	237-T	287-F	337-T	387-F	437-T	487-T	537-F	
38-F	88-T	138-F	188-F	238-F	288-F	338-F	388-T	438-T	488-F	538-F	
39-F	89-F	139-T	189-F	239-T	289-F	339-F	389-F	439-T	489-F	539-F	
40-F	90-T	140-F	190-F	240-F	290-T	340-F	390-T	440-F	490-F	540-F	
41-T	91-T	141-T	191-F	241-F	291-F	341-T	391-F	441-F	491-F	541-F	
42-F	92-F	142-T	192-T	242-F	292-F	342-F	392-F	442-F	492-F	542-F	
43-F	93-T	143-T	193-F	243-F	293-F	343-T	393-F	443-F	493-T	543-F	
44-F	94-F	144-F	194-T	244-T	294-F	344-F	394-F	444-F	494-T	544-F	
45-T	95-T	145-F	195-F	245-F	295-T	345-F	395-F	445-F	495-T	545-F	
46-F	96-F	146-T	196-T	246-F	296-F	346-T	396-F	446-F	496-F	546-F	
47-T	97-F	147-F	197-F	247-F	297-T	347-F	397-F	447-F	497-F	547-F	
48-F	98-F	148-F	198-F	248-F	298-F	348-F	398-T	448-F	498-F	548-F	
49-T	99-F	149-F	199-T	249-T	299-F	349-F	399-F	449-F	499-F	549-F	
50-T	100-F	150-F	200-T	250-F	300-F	350-T	400-F	450-F	500-F	550-F	