

BEHAVIORDATA PSYCHODIAGNOSTIC

LABORATORY REPORT

Account: 005093

Inventory: MMPI-2TM

Sex: Male

Subject: 55

Report: 06

Age: 52

Date: 02/17/09

Options: RO,RE

This is a short clinical report for psychodiagnosis. It is sent only to professionals who are licensed for the independent practice of psychodiagnosis and psychotherapy.

This report from Behaviordata Incorporated is based on the system that was designed by Joseph C. Finney, M.D., Ph.D., a psychiatrist and a clinical psychologist at the University of Kentucky, with the help of research grants from the National Institute of Mental Health and U.S. Vocational Rehabilitation Administration.

Analysis of this kind can be done from various psychological inventories or from other information. Like any other report based on an inventory, this is subject to error. No decision should be made from this report alone, but only from consideration of the case history and all the available evidence. In this case, the inventory completed and submitted for analysis was the Minnesota Multiphasic Personality Inventory-2(tm) (MMPI-2tm), the trademarks and copyrights of which are owned by the Regents of the University of Minnesota. The University and its licensee, NCS Pearson, Inc. (NCS), do not license, sponsor, or endorse Behaviordata's modified scoring and interpretive system or any reports resulting from it.

Behaviordata has purchased from NCS the MMPI-2(tm) Basic Service Profile Report, reformatted by permission on page 2 which provides standard MMPI-2(tm) test raw and T scores. The remainder of Behaviordata's report, including the Profile on page 3, contains re-analyzed and changed raw and T scores based on the University of Kentucky's Interpretive System developed by J. Finney (JF). Behaviordata's re-analyzed and changed scores are indicated by the addition of "-JF" to the scale name throughout the Behaviordata report.

Behaviordata, Inc. 20833 Stevens Creek Blvd., Suite 100 Cupertino, CA 95014 www.behaviordata.com Phone: (800) 627-2673 Fax: (408) 342-0617

E-mail: bdi@behaviordat.com

MMPI-2 BASIC SCALES PROFILE by NCS Pearson


Raw score: K Correctio T>	n	F 2 42	K 19 58	Hs 0 10 42	D 24 62	Hy 27 64	Pd 16 8 52	Mf 27 52	Pa 11 19 53	Pt 6 19 47	Sc 3 4 42	Ma 13 43	Si 22 47
+++													
110													
100													
90													
80													
70													
60			<u>,</u>						•		;		
50	•		/							•			•
40		•		•							•		
30			-				<u>-</u>						
						,			(Cannot	Say(F	 Raw) 1	

Copyright 1989 by the Regents of the University of Minnesota (all rights reserved). Distributed exclusively by NCS Pearson, Inc., under license from the University of Minnesota.

[&]quot;Minnesota Multiphasic Personality Inventory-2," and "MMPI-2" are trademarks of the University of Minnesota.

Page 3

Account 005093 Subject 55 [Male,52] MMPI-2 BASIC SCALES PROFILE Re-analyzed and Changed by the University of Kentucky's Interpretive System Developed by J. Finney



The raw scores reported on this page were obtained by changing the standard MMPI-2TM test raw scores by reducing the factor of anxiety or social desirability and the effects of response set for the rare (possibly random) answers.

The T-scores reported on this page are not the standard MMPI-2 T scores. These are the T-scores normalized by the University of Kentucky's Interpretive System, developed by J. Finney, M.D., Ph.D., on a sample of 2000 men and women.

The Mf score is based on scores by subjects of the same sex as this subject.

The following narrative statements are based on the University of Kentucky's Interpretive System developed by J. Finney, M.D., Ph.D. (JF) and distributed by Behaviordata, Inc.

He does not give a consistently favorable nor a consistently unfavorable picture of himself. He tells us some positive things and some negative things about himself.

His test profile is one that is not at all typical of clients seen by psychiatrists and by clinical psychologists. He is less anxious or upset than are most patients.

He has chronic emotional problems. They may not be acute now, but they can be expected to keep troubling him indefinitely. His overall balance of mental health is poor. The long-term outlook for him is not good.

He is a flexible, obliging, and contented person; or else he has gone to great lengths to give that impression. He adjusts to people. He listens to people, and he lets them influence him. He is eager to please people, and he finds it hard to say no to people.

He generally tries to go along with what other people want. If a conflict arises, he yields, and he gives in to the other party. He would rather give in than have a quarrel. Because he is so flexible and adaptable, he is a changeable and unpredictable person. He adjusts to whatever situation he finds himself in.

He can be a calmly hostile person: a resentful person who nonetheless feels satisfied with himself. He is one of those people who seem to take a dislike to many other people rather easily. Things that people do seem to annoy him, arouse his resentment, or make him angry. Although he may dislike people, he is not afraid of them and does not feel threatened by them. He feels confident of his ability to deal with them or bypass them in one way or another.

He claims to be in no distress. He is not asking for help. Indeed, he denies any need for help. He may be rather defensive about it; he will probably be annoyed if anyone suggests to him that he has any personality problems. His attitude is that there is nothing wrong with him, but that something may be wrong with certain other people he knows. He feels quite able to take care of himself. And from all that we can see of him here, he seems to be the kind of person who can make a fair success of life, even though he may conflict with some people and rub some people the wrong way.

He can be a very capable and industrious person, efficient, and hard-working. He can be a good leader in every way. He can be warmhearted, friendly, and sociable. He seeks responsibility, and he goes out of his way to undertake it. He takes responsibility on, and he carries it out well. He appears to be active, enterprising, bright, and resourceful. He doesn't always do things in the conventional way. He gets good ideas spontaneously, ideas that can benefit the whole group. His thinking is well organized. He analyzes the issues, he grasps the key points, and he sees what needs to be done. He makes decisions quickly, he makes plans, and he stays with them, doing a thorough and systematic job. He speaks well, and he usually persuades people to go along with him. He tries to deal with people fairly and ethically. He can be trusted to use his authority not selfishly but for the benefit of everybody in the group. He looks after those over whom he has authority and takes good care of them.

At his best, he is cooperative, pleasant, and generous.

But he can be moody. When a situation puts pressure on him, he is likely to become discouraged, anxious,

upset, and exhausted. He may take more responsibility on than he can cope with.

He is not at all mentally ill; that is, not at all psychotic. He shows no tendency toward psychosis at all.

He can be a somewhat hostile person.

He appears to be a conscientious, responsible, and trustworthy person. He tries to be careful to deal fairly with people and to respect their rights.

---- DIAGNOSTIC IMPRESSION ----

Assigning a diagnosis should never be attempted on the basis of psychological test results alone, nor from automated narrative reports generated from such findings. Rather, diagnostic conclusions should derive from a variety of informational sources, including detailed history, direct observation, clinical interview, the review of available clinical records, and test results. Diagnosis should also take into account factors such as any medical condition or injury, disability, trauma, or situational stresses that might affect this person's test performance.

Insofar as we can judge from our analysis of the psychological testing alone, the diagnosis most likely to fit this person best is:

Dependent personality disorder, with histrionic, dysthymic, and extroversive behavior, in a dramatically depressed mood, coded on Axis II. Histrionic "suicide attempts "Are common, but death is rare.

Other diagnoses which may be worth considering are as follows; they are ordered according to the likelihood of application to this subject, regardless of whether they fall on Axis I or Axis II:

Histrionic personality disorder, with compulsive features. Coded on Axis II. These people use a mixture of relatively normal defense mechanisms. There is some possibility of hysterical acting-out.

No psychiatric diagnosis. This individual falls within normal limits.

Diagnosis deferred. Questionable validity of test. Despite anything else that may show up, people in this group show some signs that they may have distorted their answers in the direction of looking good. For this reason, we cannot put the usual degree of confidence in the findings.

Adjustment disorder, reaction to situational stress, with a dramatically depressed mood. Histrionic "suicide attempts "Are common, but death is rare. Axis I. This can also be with mixed emotional features, or with mixed disturbance of emotions and conduct.

He is not a candidate for intensive psychotherapy of the kind that aims at self-understanding and analysis. If treatment is needed, it should be problem-focused.

He is not looking for therapy or counseling at this time.

The following analysis is based on the University of Kentucky's Interpretive System developed by J. Finney, M.D., Ph.D., (JF) and distributed by Behaviordata, Inc.

Tests for Psychosis:

Criterion: Meehl-Dahlstrom	Psychotic	Indeterminate *	Nonpsychotic
Taulbee-Sisson		*	
Sck-Ptk Method			*
Elevation of Sx			*
Two Point Code			*
Elevation of ScK			*
Goldberg Method			*
Elevation of Pa			*
Finney Method			*
		with other offen.	
	0	2	7
	•	Point Count = 9+P) - N	2

Rankings of the eight MMPI Clinical Scales, with the formula corrections (These scales are modifications of the MMPI-2TM test standard raw and T-scores based on the University of Kentucky's Interpretive System developed by J. Finney, M.D., Ph.D. (JF) and distributed by Behaviordata, Inc.):

	TFAT	AT	FAT	${f T}$
Highest:	D-jf $(2) = 65.3$	D-jf $(2) = 70.9$	D-jf $(2) = 70.9$	Hy-jf $(3) = 61.8$
Second:	Hy-jf $(3) = 62.8$	Hy-jf $(3) = 63.7$	Hy-jf $(3) = 63.7$	D-jf $(2) = 59.7$
Third:	Pa-jf $(6) = 58.8$	Pa-jf $(6) = 62.9$	Pa-jf $(6) = 63.3$	Pa-jf $(6) = 54.3$
Fourth:	PdK-jf (4) = 56.8	PdK-jf(4) = 59.5	PdK- $jf(4) = 60.1$	PdK- $jf(4) = 53.5$
Fifth:	PtK-jf (7) = 51.3	PtK-jf (7) = 57.7	PtK-jf (7) = 57.7	PtK-jf (7) = 45.0
Sixth:	ScK-jf(8) = 47.1	ScK-jf(8) = 51.8	ScK-jf(8) = 52.2	ScK-jf $(8) = 42.0$
Seventh:	MaK- $jf(9) = 44.4$	MaK-jf(9) = 47.4	MaK-jf(9) = 47.4	MaK-jf(9) = 41.5
Lowest:	HsK-jf(1) = 41.1	HsK-jf(1) = 42.8	HsK-jf(1) = 42.8	HsK-jf(1) = 39.3
Two Pt. Co	des: (2,3)	(2,3)	(2,3)	(3,2)

Mis-mark and/or blank count: 0

Addiction Band Number: 0 (High=5,Low=0) Alcoholism Band Number: 0 (High=5,Low=0)

The T-scores on this page are not the standard MMPI-2TM test T-Scores. These are the scores normalized by the University of Kentucky's Interpretive System developed by J. Finney, M.D., Ph.D., (JF) on a sample of 2000 men and women.

Factor Scores:	Score Low	Scaled Mean	High
A: Anxiety, Compliance	33.4		
B: Boldness, Response Bias	40.2		
C: Compulsivity	39.3		
D: Disability, Expression of Emotions	59.1	<u> </u>	
E: Enmity, Hostility	70.6		
Z: Extrapunitiveness	47.4		
Y: Intrapunitiveness	65.1		
X: Extraversion vs. Intraversion	58.9		
Strength Factor	35.5		
Speed Factor	50.7		
Punitive Factor	58.8	1	• • • • • • • • • • • • • • • • • • • •
Comparative Intrapunitive Factor	62.5	1	

Tests for Psychosis:

Meehl-Dahlstrom: Beta = -9.9 Delta = 4.8 Welsh = 0.9

Band Number = 2 Selection Rule= 1.6

Taulbee-Sisson: 13 P 14 P 15 P 16 P 17 P 18 P 19 P 24 N 26 N 34 N

35 N 36 N 39 N 75 P 76 P 78 N Count = 7

Derived Scores:(Indices) Neurotic Index (low 0, high 7)	Score Low 2	Scaled Mean	High
Hysterical Index (low 0, high 7)	5	<u> </u>	•
Denial Index (low 3, high 24)	6	1 1	
Successful Psychopath Band	1	1 1 1	

Derived Scores:(Scales) Hysteria Score	Score Low 59.5	Scaled Mean	High
Adjusted Hysteria Score	69.1		
Average Dependency Score	48.6		
Oral Aggression Average Score	44.5		
Bitterness Index	52.2		
General Hostility Average Score	55.6		•
Responsibility Average Score	57.4		
Average Creativity Score	62.7		
Rigid Compulsive Character Average Score	56.2		
Counseling Prediction Score	91		
Futile Activity Element	66.0		
Masochism Element	46.6		
Creativity Element	71.5		
Resiliency Element	42.3		
Psychological Mindedness Element	63.9		
Listening Element	37.4	•1	
Ambition Element	69.9		
N-P Element	60.0		•
Seven Element Total	398		•
Eight Element Total	458		•
Psychotherapy Character Score	57.2		
Narcissism Average Score	48.8		

Sca	le	Raw	\mathbf{T}	AT	FAT	TFAT	Definition
1	Du	6	33.6	46.2	45.8	39.7	Amount of Dependency Urge
2	Da	2	24.0	27.8	27.3	25.7	Dependency in Action
3	Rd	2	33.3	38.3	38.3	35.8	Repression of Dependency
4	Tco	52	63.5	46.2	46.2	54.8	Basic Trust, Confidence, and Optimism
5	Di	8	41.2	62.8	63.0	52.1	Discouragement
6	Rdi	34	61.0	47.4	47.4	54.2	Repression of Discouragement
7	Anx	8	38.0	56.1	56.2	47.1	Anxiety
8	Bit	6	37.2	54.4	54.4	45.8	Bitterness
9	Dmd	6	36.3	46.2	46.2	41.3	Demandingness
10	Ord	24	56.7	54.9	54.9	55.8	Orderliness
11	Sbt	12	39.3	52.6	52.6	46.0	Seeking Being Told what to do
12	Rbt	8	39.0	48.2	48.3	43.6	Resisting Being Told what to do
13	Arh	10	44.0	69.6	69.8	56.9	Amount of Resentment/Hostility
14	Bs	12	46.5	70.6	70.9	58.7	Blaming Self
15	Во	4	43.1	57.1	57.4	50.2	Blaming Others
16	Ts	12	42.2	65.6	66.3	54.2	Taking Things Out on Self
17	Tto	6	33.6	42.2	42.1	37.9	Taking Things Out on Others
18	Rfa	12	47.4	57.8	57.8	52.6	Reaction Formation against Aggression
19	Poh	6	42.0	53.6	53.8	47.9	Projection of Hostility
20	Soh	10	38.8	52.9	52.9	45.8	Suppression and Outbursts of Hostility
21	Uah	8	39.7	48.6	48.4	44.0	Unconscious Acting-out of Hostility
22	Cas	36	57.5	50.4	50.4	54.0	Controllingness and Sadism
23	Uas	8	47.0	56.4	56.4	51.7	Unconscious Sexual Acting Out
24	SxDy	14	43.0	55.3	55.4	49.2	Sexual Dysfunction
25	AtRe	4	25.9	32.5	32.4	29.1	Attention and Reassurance
26	Dth	2	36.3	48.7	48.7	42.5	Doing things the hard way
27	Cwo	24	52.8	57.5	57.8	55.3	Concern with What People Think
28	Pm	4	31.1	40.8	40.8	35.9	Psychopathic Manipulation
29	Gf	6	37.3	52.3	52.3	44.8	Guilt Feelings
30	Cons	30	56.7	42.3	42.0	49.3	Conscience
31	$\mathbf{W}1$	38	63.7	50.2	50.2	56.9	Warmth
32	Amb	38	66.6	55.3	55.3	61.0	Ambition
33	Ss	10	43.0	70.7	71.6	57.3	Feeling Sorry for Self
34	Dpm	4	34.1	48.0	47.8	41.0	Dependent Masochism (getting rejected)
35	Btp	6	36.5	49.6	49.7	43.1	Behaving to get Punished
36	Rep	20	53.2	50.3	50.2	51.7	Repression
37	Den	16	50.9	34.8	34.7	42.8	Denial
38	Pjt	2	44.0	57.7	58.0	51.0	Projection
39	Rf	14	54.6	58.5	58.5	56.6	Reaction Formation
40	Conv	8	40.6	55.3	55.3	48.0	Conversion
41	Ppr	8	37.1	49.9	49.8	43.4	Psychophysiologic Reaction
42	Paf	10	41.3	63.6	63.8	52.6	Phobias and Fears
43	Com	0	23.2	28.7	28.5	25.9	Compulsion
44	Wao	12	41.1	62.0	62.5	51.8	Worry and Obsession
45	Psy	2	36.7	53.0	53.1	44.9	Psychosis
46	L-jf	6	48.8	43.2	43.1	46.0	Lie

Sca	le	Raw	\mathbf{T}	AT	FAT	TFAT	Definition
47	F-jf	4	38.9	49.6	49.6	44.3	Validity
48	K-jf	38	61.9	48.6	48.6	55.3	Correction
49	Hs-jf	0	25.8	32.2	32.2	29.0	Hypochondriasis
50	HsK-jf		39.3	42.8	42.8	41.1	Hypochondriasis with K correction
51	DO	22	53.3	74.3	74.3	63.8	Depression, Obvious
52	DS	26	66.4	59.8	59.8	63.1	Depression, Subtle
53	D-jf	48	59.7	70.9	70.9	65.3	Depression
54	HyAd	6	37.6	49.2	49.2	43.4	Hysteria Admission
55	•	48	82.5	79.1	79.2	80.9	Hysteria Denial
56	Hy-jf	54	61.8		63.7	62.8	Hysteria
57 50	Pd-jf	32	49.8		62.3	56.1	Psychopathic Deviate
58	PdK-jf		53.5	59.5	60.1	56.8	Psychopathic Deviate with K correction
59	Mfm-jf		60.1	63.4	63.8	61.9	Masculinity-femininity, Male
60	PaO	4	47.0	64.2	64.9	56.0	Paranoia, Obvious
61	PaS	18	59.8	57.0	57.0	58.4	Paranoia, Subtle
62	Pa-jf	22	54.3		63.3	58.8	Paranoia
63	Pt-jf	12	38.3	60.9	61.1	49.7	Psychasthenia
64	PtK-jf		45.0	57.7	57.7	51.3	Psychasthenia with K correction
65	Sc-jf	6	32.7	44.3	43.7	38.2	Schizophrenia
66	ScK-jf		42.0	51.8	52.2	47.1	Schizophrenia with K correction
67	Ma-jf	26	39.5		46.9	43.2	Hypomania
68	MaK-jf		41.5	47.4	47.4	44.4	Hypomania with K correction
69 70	Si-jf	48	47.1	57.8	57.8	52.4	Social Introversion
70	A	8	36.9	56.3	56.5	46.7	Welsh's first factor: Anxiety
71	R	42	66.4	63.0	63.0	64.7	Welsh's second factor: Repression
72	Sd F-	34	50.0	51.7	51.7	50.8	Sex Difference
73	Es	74	55.3		42.3	48.8	Ego Strength
74	Fm	28	46.9	57.9	57.9	52.4	Feminine Masochism
75 76	Ul Da	96	69.9	61.0	61.0	65.5	Ulcer Personality
76	Ba	102	73.8	67.0	68.2	71.0	Teamwork in Competition
77	Cr	110	63.8	47.8	47.9	55.8	Conversion Reaction and Denial
78 70	Sx	18	53.1	45.5	45.5	49.3	Correction for Schizophrenia Scale
79 80	PaV	10	39.0	52.1	52.2	45.6	Parole Violation
81	Ec C	16 22	36.7	46.5	46.5	41.6	Escape from Prison Welsh's third feature Control
82	В		41.5	49.5	49.6	45.5	Welsh's third factor: Control
83		20 0	21.4	26.5	26.5	24.0	Response Bias (tendency to say "true")
84	Ph		32.3	40.0	39.9	36.1	Phobia [manifest content]
85	Al	66 54	45.3 68.7	49.1 59.6	49.1 50.6	47.2	Alcoholism (Finney)
86	To Mn	54 16	43.7	35.8	59.6 35.2	64.2 39.4	Tolerance Positive Melingering (felting good)
87	Mp Rbw	16 10	29.6	32.9	32.9	31.3	Positive Malingering (faking good)
88	Sdw		33.8			32.8	Response Bias
89	Saw Em	16 2	35.8	31.9 43.3	31.8 43.1	32.8 39.4	Social Desirability Embarrassment [manifest content]
90	Gu	0	35.3	45.7	45.6	40.5	Guilt [manifest content]
91	Reb	14	48.0	54.4	54.5	51.2	Rebellion [manifest content]
91 92			51.3		34.3 46.4	48.8	Submission [manifest content]
92	Sub	16	31.3	46.5	40.4	40.0	Submission (maintest content)

Scal	le	Raw	T	AT	FAT	TFAT	Definition
93	Ac	30	62.0	49.0	48.9	55.4	Achievement via Conformance
94	Ai	26	69.9	62.9	63.1	66.5	Achievement via Independence
95	Cs	28	69.6	62.7	62.7	66.1	Capacity for Status
96	Dom	28	65.1	56.8	56.8	61.0	Dominance
97	Ie	86	64.8	53.1	53.1	58.9	Intellectual Efficiency
98	Re	34	58.8	50.1	50.0	54.4	Responsibility
99	So	32	68.3	60.3	60.6	64.5	Socialization
100	-	32	50.8	43.1	43.1	47.0	Sociability
	Wb	70	69.2	59.7	59.8	64.5	Well Being (not faking bad)
102	-	36	56.7	46.3	46.3	51.5	Social Presence
103		16	55.2	49.5	49.5	52.4	Self Acceptance
	Scn	38	65.3	54.1	54.1	59.7	Self Control
105	-	12	67.6	60.2	60.2	63.9	Psychological Mindedness
106		6	51.6	42.3	42.1	46.9	Good Impression
108		16	50.1	53.1	53.1	51.6	Femininity
	Cm	2	51.2	46.4	46.3	48.7	Communality (absence of rare answers)
110		6	45.0	63.3	63.6	54.3	Obsessive Worry [manifest content]
111		0	27.5	32.2	32.2	29.8	Narcissism
	W2	26	14.9	19.0	19.0	16.9	Warmth
	Dem	0	44.5	52.0	52.0	48.2	Demanding [manifest content]
114		10	59.4	51.9	52.0	55.7	Inner Direction
	Stb	8	51.6	54.0	54.0	52.8	Stubbornness [manifest content]
	Rps	4	46.4	47.2	47.2	46.8	Rigid Perfectionistic Stubborn
	Sad	0	42.7	48.7	48.7	45.7	Sadistic
120		0	38.3	38.5	38.4	38.3	Orderliness
	RepX	2	57.6	62.9	63.1	60.4	Hysterical Repression
123		90	66.3	63.2	63.3	64.8	Hostility
	Ody	4	46.5	45.2	45.1	45.8	Optimistic Dependency
	PVi	14	29.7	38.1	37.7	33.7	Pharisaical Virtue
126	•	50	57.6	57.8	58.0	57.8	Acceptance of Passivity
	Efi	16	42.5	57.8	58.0	50.3	Eichman Factor 1: Anxiety
	Ef2	24	63.3	63.2	63.3	63.3	Eichman Factor 2: Repression
	Ef3	0	25.5	31.5	31.4	28.5	Eichman Factor 3: Somatic preoccupation
	Ef4	2	30.6	38.5	37.3	34.0	Eichman Factor 4: Acting-out of impulses
	Rdc	50	86.1	83.1	83.6	84.9	Repression Dissociation Character
	Mfem	54	50.4	52.4	52.4	51.4	Femininity [Mf + Mf1]
	Mhom	0	38.7	45.3	45.3	42.0	Identification Problem [Mf2]
134	-	10	31.3	40.5	40.1	35.7	Dependency
	Cto	0	42.7	48.7	48.7	45.7	Control of Others
	Mff	62	58.7	59.6	59.9	59.3	Masculinity-femininity, Female
138		10	43.0	71.9	72.0	57.5	Suicide
139		20	30.4	38.4	38.3	34.4	Addiction
	Wm	8	31.4	41.4	41.4	36.4	Warmth
	Shx	24	39.7	49.1	49.1	44.4	Showoff, Exhibitionist
	Dm	52	50.5	50.6	50.6	50.6	Dominant
143	Rbl	28	39.0	46.8	46.8	42.9	Rebellious

Scale	Raw	T	AT	FAT	TFAT	Definition
144 Qs	66	68.6	58.5	58.5	63.5	Quietly Stubborn
145 Ev	32	72.1	65.7	66.1	69.1	Evades
146 Shm	20	46.1	56.2	56.1	51.1	Shame
147 Frm	76	71.5	63.8	64.0	67.8	Firm
148 Sso	74	65.2	50.3	50.2	57.7	Stingy with Self and Others
149 Ncs	28	41.7	52.7	52.7	47.2	Narcissistic, Self-centered
150 Umm	32	41.9	55.1	55.1	48.5	Unscrupulous, Manipulates, Maneuvers
151 Wdn	22	47.4	54.8	54.8	51.1	Withdrawn
152 Rgd	64	68.9	63.3	63.8	66.4	Rigidity
153 Cus	12	34.7	49.3	49.2	42.0	Cruel, Unkind, Sadistic
154 Spr	32	67.0	63.5	63.6	65.3	Sullen, Passively Resentful
155 Hfs	12	42.0	62.3	62.3	52.2	Hurt Feelings, Sensitive
156 Imp	8	37.8	54.8	55.0	46.4	Impulsive
157 Rih	6	41.6	53.5	54.0	47.8	Rambling, Incoherent
158 Rts	2	26.1	31.0	30.5	28.3	Reality Testing Shaky
159 Osm	72	63.9	46.6	46.5	55.2	Orderly and Systematic
160 Ibo	8	33.3	45.3	45.4	39.4	Influenced by Others
161 AMA	32	38.0	41.1	40.9	39.5	Alcoholism (MacAndrew)
162 AvA	74	55.1	57.8	57.8	56.5	Alcoholic versus Addict
163 AHS	66	57.0	46.8	46.8	51.9	Alcoholism (Hoyt & Sedlacek)
164 AHp	72	43.5	67.6	68.0	55.7	Alcoholism (Hampton)
165 AHm	48	52.9	54.8	54.8	53.9	Alcoholism (Holmes)
166 Ant	26	55.3	56.9	57.0	56.1	Antisocial

The raw scores for scales L-jf, F-jf, K-jf, Hs-jf, HsK-jf, D-jf, Hy-jf, Pd-jf, PdK-jf, Mfm-jf or Mff-jf, Pa-jf, Pt-jf, PtK-jf, Sc-jf, ScK-jf, Ma-jf, MaK-jf, and Si-jf reported on these Scale Information pages were obtained by changing the standard MMPI-2TM test raw scores by reducing the factor of anxiety or social desirability and the effects of response set for rare (possibly random) answers.

The T-scores for scales L-jf, F-jf, K-jf, Hs-jf, HsK-jf, D-jf, Hy-jf, Pd-jf, PdK-jf, Mfm-jf or Mff-jf, Pa-jf, Pt-jf, PtK-jf, Sc-jf, ScK-jf, Ma-jf, MaK-jf, and Si-jf reported on these Scale Information pages are not the standard MMPI-2TM test T-Scores. These are the scores normalized by the University of Kentucky's Interpretive System developed by J. Finney, M.D., Ph.D., on a sample of 2000 men and women.

* * * * *

Statements in this report are protected by International Copyright 1974, 1996 by Joseph C. Finney.

All Rights are Reserved.

The simple T-scores given in the report are the true normalized scores developed by Joseph C. Finney, M.D., Ph.D., at the University of Kentucky. This is the only standardization of the MMPI that was sponsored by a research grant from the National Institute of Mental Health.

AT, FAT, and TFAT scores are computed to reduce effects of response sets correlated with the A factor and the F scale.

* * * * *

1-F	51-T	101-F	151-F	201-F	251-F	301-F	351-F	401-T	451-F	501-T	551-F
2-T	52-F	102 -T	152-T	202-F	252-F	302-F	352-F	402-T	452-F	502-F	552-F
3-T	53-F	103-F	153-F	203-T	253-F	303-F	353-T	403-F	453-T	503-F	553-F
4-F	54-F	10 4- F	1 54-F	204-T	254-F	304-F	354-T	404-T	454-F	504-F	554-F
5-F	55-T	105-T	155-F	205-F	255-T	305-F	355-F	405-T	455-T	505-F	555-F
6-T	56-T	106-T	156-F	206-T	256-F	306-F	356-F	406-F	456-F	506-F	556-T
7-F	57-T	107 -T	1 5 7-F	207-F	257-F	307-F	357-T	407-F	457-F	507-F	557-F
8-T	58-F	108-T	158-T	208-T	258-F	308-F	358-F	408-F	458-F	508-F	558-F
9-T	59-F	109-T	159-T	209-F	259-T	309-F	359-F	409-F	459-T	509-F	559-F
10-T	60-F	110-F	160-F	210-T	260-T	310 - F	360-T	410-F	460-T	510-F	560-T
11-F	61- F	111-F	161-F	211-F	261-F	311 -F	361-F	411-F	461-F	511-F	561-T
12-F	62-F	112 - F	162-F	212 -F	262-T	312-F	362-F	412-F	462-T	512-F	562-F
13-F	63-T	113-F	163-T	213-F	263-F	313-F	363-F	413-F	463-F	513-F	563-F
14 -F	64-F	114-F	1 64-T	214-T	264-F	314-T	364-F	414-F	464-F	514-T	564-T
15- T	65-F	115-F	165-T	215-F	265-F	315-F	365-T	415-F	465-F	515-F	565-F
1 6-F	66-F	116-F	166-F	216-T	266-T	316-F	366-F	416-F	466-F	516-F	566-F
1 7-F	67-T	117-T	167-F	217-T	267-T	317-F	367-F	417-F	467-T	517-F	567-F
18-F	68-F	118-T	168-F	218-F	268-F	318- T	368-F	418-F	468-F	518-F	
19-F	69-F	119-T	169-F	219-F	269-F	319-F	369-F	419-F	469-F	519-F	
20-T	70-F	120-T	170-F	220-F	270-F	320-F	370-F	420-F	470-F	520-F	
21-F	71-F	121-T	171-F	221-F	271-F	321-T	371-F	421-F	471-F	521-T	
22-F	72-F	122-T	172 -F	222- T	272-T	322-F	372-T	422-T	472-F	522-F	
23-F	73-F	123-F	173-T	223-T	273-F	323-F	373-F	423-F	473-F	523-F	
24-F	74-F	124-F	174-T	224-T	274-F	324-F	374-F	424-F	474-T	524-F	
25-F	75-T	125-T	175-F	225-F	275-F	325-F	375 - F	425-F	475-F	525-F	
26-F	76-F	126- T	176-T	226-F	276-T	326-F	376-F	426-F	476-F	526-F	
27-F	77 - T	127-F	177-T	227-F	277-F	327-F	377-F	427-T	477-F	527-F	
28-F	78-T	128-T	178-F	228-F	278-T	328-F	378-F	428-F	478-F	528-F	
29-T	79 - T	129-F	179- T	229-F	279-T	329-F	379-T	429-T	479-F	529-F	
30-F	80-F	130-T	180-F	230-T	280-T	330-T	380-F	430-F	480-F	530-F	
31 -F	81-F	131-F	181-T	231 -F	281-F	331-F	381-F	431-T	481- T	531-F	
32-F	82-F	132-T	182-F	232-T	282-F	332-F	382-F	432-F	482-F	532-T	
33-F	83-T	133-F	183-T	233-T	283-F	333-F	383-T	433- T	483-F	533-F	
34-T	84-F	134-F	184-F	234-F	284-F	334-F	384-F	434-F	484-F	534-T	
35-F	85-F	135-F	185-F	235-F	285-F	335-T	385-T	435-F	485-F	535-F	
36-F	86-F	136-F	186-T	236-T	286-F	336-F	386-F	436-F	486-T	536-F	
37-F	87-F	137-F	187-F	237-T	287-F	337-T	387-F	437-T	487-T	537-F	
38-F		138-F	188-F	238-F	288-F	338-F	388-T	438-T	488-F	538-F	
39-F		139-T	189-F	239-T	289-F	339-F	389-F	439-T	489-F	539-F	
40-F		140 - F	190-F	240-F	290-T	340-F	390-Т	440 -F	490-F	540-F	
41-T		141-T	191-F	241-F	291-F	341-T	391-F	441-F	491-F	541-F	
42-F		142-T	192-T	242-F	292-F	342-F	392-F	442-F	492-F	542-F	
43-F		143-T	193-F	243-F	293-F	343-T	393-F	443-F	493-T	543-F	
44-F		144-F	194-T	244-T	294-F	344-F	394-F	444-F	494-T	544-F	
45-T		145-F	195-F	245-F	295-T	345-F	395-F	445-F	495-T	545-F	
46-F		146-T	196-T	246-F	296-F	346-T	396-F	446-F	496-F	546-F	
47-T		147-F	197-F	247-F	297-T	347-F	397-F	447-F	497-F	547-F	
48-F		148-F	198-F	248-F	298-F	348-F	398- T	448-F	498-F	548-F	
49-T		149-F	199-T	249-T	299-F	349-F	399-F	449-F	499-F	549-F	
50-T	100-F	150-F	200-T	250-F	300-F	350-T	400-F	450-F	500-F	550-F	